


VELO FEATURES

Pump Track Spice up your playground

PUMP TRACK FEATURES FOR NEXT LEVEL RIDING

Pump Tracks are hotspots for many riders, seeking fun and action-filled sports experience. They become a hive of community activity and a highly popular destination. With a small investment, you can improve the existing pump track with additional Velo Features that will make riding more interesting, attract a wider audience and take it to the next level.





FUN FACTS ABOUT PUMP TRACK FEATURES

Technically challenging but super fun features for various vehicles - bikes, skateboards, scooters, inlines

Beginner to expert level features with a variety of different air and flow-oriented elements

Choose features and integrate them into your existing pump track or plan them in the design before construction

Features are designed by professional athletes and experts in the field according to the latest trends in the sports industry

High-quality handmade products made of natural, long-lasting environmentfriendly materials





CURVED WALLRIDE

2






VELO FEATURES

1 CURVED WALLRIDE

Curved wallride is one of the trickiest pieces to build accurately. Wallrides are made for two types of berms - **135° or 180°**.




PAGE 9

Curved wallrides consist of **modular elements** for convenient installation, storage, and transport. When installing the wallride using an adjustable leg system, a slight unevenness in the base surface can be overcome.



CONSISTS OF 5 MODELS



VELO FEATURES

 Δ






1 CURVED WALLRIDE - SETTING UP

180

Curved wallrides can be added to any pump track with a wide enough "table section". However, they sit at a certain angle and can be made for 135° & 180° degree berms. When installing, it is possible to adjust the angle by a maximum of 5° degrees.

135°








Flat wallrides consist of **modular elements** for convenient installation, storage, and transport.


When installing the wallride using an adjustable leg system, a slight unevenness in the base surface can be overcome. FUN FACT



PAGE 15

The number of modules can be unlimited. You can also build a wallride along the length of the Chinese Wall.

2 FLAT WALLRIDE - SETTING UP




PAGE 17

FEATURES AROUND THE WORLD EXAMPLE

Location: Mänttä-Vilppula, Finland





Location: Varberg, Sweden

MTB

dosolutions

 \square






CHOOSE THE BEST SOLUTION FOR YOUR TRACK

FLAT WALLRIDES

FLAT WALLRIDE 4,5m

6.007-1

a=4,5 b=1,4 w=2 w1=1,4 h=1,9



FLAT WALLRIDE 6m 6.007


a=6 b=1,4 w=2 w1=1,4 h=1,9

FLAT WALLRIDE 9m


6.008

a=9 b=2,1 w=3 w1=2,1 h=2,8













PAGE 23

CURVED WALLRIDES

BERM WALLRIDE 135° (BASE)

6.001

a=7,5 b=2,6 w=2 w1=1,4 h=1,9 R=4



BERM DOUBLE-WALLRIDE 135° 6.003 a=7,5 b=2,6 w=2 w1=1,4

w=2 w1=1,4 h=1,9 R=4



a=9,8 b=3,8 w=2 w1=1,4 h=1,9 R=4


BERM WALLRIDE 180° (BASE)

6.002

 \square

BERM DOUBLE-WALLRIDE 180°

6.004





WALLRIDE SAFETY COVERS

Two types of safety covers available for wallrides: basic and extra safety covers.



Each wallride comes with a **basic** safety cover





design. Use features as a platform for outdoor advertising.




ALLEON'S

PAGE 27

Company or sponsor logo may be incorporated into feature's





WALLRIDE ADDITIONS

Capture awesome moments on video or photo from a perfect angle and close to the action.

Adjust the color of you wallride to your preference - we provide wide selection of high quality colors for wooden surfaces:



PAGE 31



#ALLIANCE #VELOFEATURES #ALLIANCEWALLRIDE

TECHNICAL DATA

With a passion for bike playgrounds, we strive to enhance your projects by delivering well engineered products on time while focusing our design on convenient installation.





SUSTAINABLE SOLUTIONS



SAFE **ELEMENTS**



PRODUCTION **4-8 WEEKS**

To attract more people to this exciting urban sport, we created a compelling and accessible design for all bike enthusiasts.



Alliance provides a 2-year warranty against manufacturing defects for all elements (under EU law). The lifespan of the elements can reach up to 10 years

INSTALLATION:

- can be installed on asphalt;
- suitable as permanent installations;
- can stay outdoors all year round.

DURABILITY & SAFETY:


- all metal frames are hot-dip galvanised, thus protected from weather impact and corrosion;
- metric threaded stainless steel screws for additional decking board hold-down and durability.




FREESTYLE PUMP TRACK FEATURES EXPAND YOUR CREATIVITY

Rail, box, and kicker features are made to enhance the pump track's functionality and provide riders with endless possibilities, smooth-riding and fun jumping.

Three types of urban features:







FREESTYLE PUMP TRACK FEATURES DEVELOPED FOR ACTIVE SPORTS

The top sheets - HPL compact panels are decorative, high pressure laminate according to DIN EN 438.

> Alliance provides a 2-year warranty against manufacturing defects for all elements (under EU law). The lifespan of the elements can reach up to 10 years







FUN FACTS ABOUT HPL MATERIAL

Noise reducing and perfectly suitable for outdoor use.

Tested all over the world by action sports users - skateboarders, BMX riders, freestyle scooterists, inline skaters and MTB riders.

Highly resistant against all weather conditions and holds tight through thousands of hot griding sessions.

FREESTYLE FEATURE SHOP

CHOOSE THE BEST SOLUTION FOR YOUR TRACK

BOXES

FLAT BOX FL 6.011

a=3 b=0,7 w=0,7 h=0,37





CURVY BOX FL

6.012

a=3 b=0,7 w=0,7 h=0,37





COMBO SET FL 6.013

a=6 b=1,5 w=1,44 h=0,37





LO KICK JUMP FL 6.017

a=1,4 b=1,44 w=1,44 h=0,20



HI KICK JUMP FL 6.018

a=1,72 b=1,44 w=1,44 h=0,4



SPINE FL 6.024

a=3,10 b=1,44 w=1,44 h=0,80






SIZE DESIGNATIONS: Unit - meters (m)

a - area lenght (m) b - area width (m)

w - deck width (m) h - height (m)







RAILS

SIMPLE RAIL FL 6.019

a=3 b=0,06 w=0,06 h=0,37



BEHIND THE BARS RAIL FL 6.020

a=3 b=0,06 w=0,06 h=0,37



BRIDGE RAIL FL 6.021

a=3 b=0,06 w=0,06 h=0,37





6.025


a=4 b=0,06 w=0,06 h=0,8






RAINBOW RTR RAIL 6.026

a=4,5 b=0,06 w=0,06 h=0,6





a=4 b=0,06 w=0,06 h=0,6



FLAT BAR FL 6.038


a=3 b=0,06 w=0,06 h=0,37



SIZE DESIGNATIONS: Unit - meters (m)

a - area lenght (m) b - area width (m)

w - deck width (m) h - height (m)



TECHNICAL DATA





SAFE **ELEMENTS**



PRODUCTION **4-8 WEEKS**

MATERIALS:

- welded frame from steel pipes (S235);
- HPL compact panel.

DURABILITY & SAFETY:

- special coatings are used to treat all metal frames, thus protected from weather impact - can stay outdoors all year round;
- metric threaded stainless steel screws for additional decking board hold-down and durability;
- HPL compact boards are very stable and self-supporting;
- due to its high modulus of elasticity the material offers additionally the advantage of high flexural rigidity.

FUNCTIONALITY:


- rails' complexity and height can be adjusted during installation to suit the preferred skill level;
- smooth sliding.


DESIGN:


- unique Alliance design;
- open sides;
- custom branding options.

INSTALLATION:

- boxes are screwed down to asphalt;
- rails are concreted and fixed to the ground;
- suitable as permanent installations.







PAGE 43


OTHER BIKE PARK TYPES



in a playful manner – a playground for young and old.



playfully mimic urban areas – a playground for young and old.







Request more details: info@alliancease.com



Alliance ASE GmbH Schiedermayrstraße 7, 4560 Kirchdorf Austria +43 699 19090569 info@alliancease.com www.alliancease.com